



LED Highbay

One of the forerunners in the PRO series is the LED Highbays. This 100w to 200w highbay range includes subgroups with Mean Well and Samsung driver upgrades, both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today.

APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling





KEY FEATURES

- Professional upgraded drivers
- Strong and durable diecast aluminum body
- Select highbays are fully compatible with daylight sensors
- IP65-rated
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent





Optional
DAYLIGHT SENSOR
SKU - 1369



REFLECTOR HIGHBAYS

MEAN WELL Driver



Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.

- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE
SKU: 567 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE
SKU: 569 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571



PC Transparent Reflector
120° SKU-586



120
LUMENS/WATT



Optional
DAYLIGHT SENSOR
SKU - 1369



UFO HIGHBAYS

MEAN WELL Driver

This advanced LED highbays from V-TAC's PRO series are ready to impress with its high-lumen rating of 120 lm/w and LED chip from Samsung. This range is equipped with drivers from Mean Well -- a key player in the LED driver industry for a strong and efficient performance.


- Available in 100 and 120 watts
- SMD LED Type
- 30,000 hrs Lifespan
- AC:100-277V,50/60Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs


SKU:585 | 4000K DAY WHITE

DALI
Dimming




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE
SKU: 565 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE
SKU: 561 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE
SKU: 563 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE
SKU: 559 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs


SKU: 580 | 4000K DAY WHITE
SKU: 581 | 6400K WHITE



NEW

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-500	500w	60000	120°	1 pcs

SKU: 509 | 4000K DAY WHITE



120
LUMENS/WATT



USING
SAMSUNG
POWER SUPPLY

Optional
DAYLIGHT SENSOR
SKU - 1369



REFLECTOR HIGHBAYS

SAMSUNG Power Supply

A new strong addition to V-TAC's PRO series are these LED highbays with Samsung drivers. With our latest in-branding program with Samsung, these highbays boasts of efficiency in every lumen with Samsung's cutting-edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.


- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE

SKU: 576 | 6400K WHITE



ø150mm




ø260mm


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE

SKU: 578 | 6400K WHITE



ø150mm




ø260mm


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE

SKU: 584 | 6400K WHITE



ø150mm



ø260mm

COVER OPTIONS



Aluminum Reflector
90° SKU-570



Aluminum Reflector
120° SKU-571



PC Transparent Reflector
120° SKU-586



UFO HIGHBAYS


This new range of IP44-LED high bays from V-TAC's PRO series delivers strong lighting for spacious areas that require intense lighting from high ceilings like manufacturing facilities and construction/development areas. Equipped with the advanced, Samsung LED Chip, it has exceptional performance without flickers and warm-up periods.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

5 YEAR
WARRANTY*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-98	100w	8000	90°	4 pcs

SKU: 556 | 4000K DAY WHITE
SKU: 557 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-148	150w	12000	90°	2 pcs

SKU: 552 | 4000K DAY WHITE
SKU: 553 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-99	100w	8000	120°	4 pcs

SKU: 554 | 4000K DAY WHITE
SKU: 555 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-149	150w	12000	120°	2 pcs

SKU: 550 | 4000K DAY WHITE
SKU: 551 | 6400K WHITE





LED LINEAR HIGHBAY


LED Low Bay Lights

V-TAC's new series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. Available in 100w to 200w, our low bay series offers strong and ample light with promising 120 lumen-per-watt options and impressive energy-saving features compared to its traditional counterparts.

- **Ideal for workshops, supermarkets, warehouses, factories, etc.**
- **High-lumen (120 lm/w) options available**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**


MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-109	100w	10000	90°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 589 | 4000K DAY WHITE
SKU: 590 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 891 | 4000K DAY WHITE
SKU: 892 | 6000K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	15000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 893 | 4000K DAY WHITE
SKU: 894 | 6000K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	20000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE
SKU: 896 | 6000K WHITE






LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the new LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE
SKU: 573 | 6400K WHITE





LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90° / 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp



Applications

Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.



UFO-High Lumen-Meanwell Driver
100w VT-9107

SKU: 5588 - 6400K White 3800157622301



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium



IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

5 YEAR WARRANTY*



UFO-High Lumen-Meanwell Driver
100w VT-9117

SKU: 5586 - 6400K White 3800157622271
3800157622288



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium



IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

5 YEAR WARRANTY*



UFO-High Lumen-Meanwell Driver
500w VT-9500

SKU: 5607 - 4000K Day White 3800157625050
SKU: 5608 - 6400K White 3800157625067



Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD

CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium

IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

5 YEAR WARRANTY*




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	Ø221x85mm
Box Qty:	4 Pcs

UFO-Highbay-120°

50w VT-9053

SKU: 5554 - 4500K Day White
SKU: 5555 - 6400K White

3800157620895
3800157620901




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50w VT-9065-W

SKU: 5609 - 3000K Warm White
SKU: 5610 - 4000K Day White
SKU: 5611 - 6400K White

3800157626507
3800157626514
3800157626521




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	2 Pcs

UFO-Highbay-120°

100w VT-9115-W

SKU: 5612 - 3000K Warm White

3800157626538




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°

50w VT-9065

SKU: 5558 - 6400K White

3800157621953




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-90°

50w VT-9055

SKU: 5560 - 6400K White

3800157621977






Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	16000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	400x115mm
Box Qty:	2 Pcs

UFO-Highbay-90°
200w VT-9205

90° BEAM
ANGLE

SKU: 5584 - 6400K White

3800157622097



Emergencny Kit-Highbay

100w VT-599



SKU:8384

3800157639309



Box Qty.
6 Pcs

Voltage/Frequency:	AC:220-240V,50/60Hz
IP Rating:	IP44
Load Voltage:	DC:40-50V
Emergency Duration:	180mins
Battery:	DC:11.1V 6600mAh, Li-ion
Charging Time:	24 Hours
LED Driver Output Current:	2A Max
Output Emergency Power:	20W
Tc Max:	65
Ambient Temperature:	-5 to +40



Linear Highbay-120°
150w VT-9159



120° BEAM
ANGLE

SKU: 56011 - 4000K Day White
SKU: 56021 - 6000K White

3800157624923
3800157624930

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	13500lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	790X103.5X73.5mm
Box Qty:	1 Pcs



Linear Highbay-120°
200w VT-9209

120° BEAM
ANGLE

SKU: 56031 - 4000K Day White
SKU: 56041 - 6000K White

3800157624947
3800157624954

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	18000lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	1045x103.5x73.5mm
Box Qty:	1 Pcs