



LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120°D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.


Microwave Sensor


Emergency Battery Backup

31
IN

Emergency 
Battery Backup


Microwave Sensor

2D BULKHEAD

EMERGENCY
BATTERY
BACKUP



MICROWAVE
SENSOR

31
IN

EMERGENCY
BATTERY BACKUP



MICROWAVE SENSOR



IP65
RATING



LED DOME LIGHTS

2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- **AC:200-240V,50/60Hz**
 - **PC Body type**
 - **SMD LED Type**
 - **20,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
 - **PC Body type**
 - **SMD LED Type**
 - **20,000 hrs Lifespan**


2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 815 4000K DAY WHITE
VT-08	8w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 801 4000K DAY WHITE SKU: 802 6400K WHITE
VT-15	15w	1400	10 pcs	



2D Bulkhead with Emergency Battery


Emergency Battery Backup

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.


- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

3 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 816 4000K DAY WHITE
VT-11	10w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 806 4000K DAY WHITE
VT-17	17w	1400	10 pcs	



2D Bulkhead with Sensor



This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- AC:200-240V,50/60Hz
 - 120° / 360° Detection Angle
 - 3m, 5m, 8m, 10m (optional) Detection Distance
 - Max D10Mx4M Detection Range
 - 10S, 1min, 5min, 10min customized Hold Time
 - Day, 10Lux, 30Lux, 50Lux optional Day light Sensor
- Yes, 0, 10%, 20%, 30% optional Dimmable Function
 - 0.5~3m/s Detection Motion Speed
 - PC Body type
 - >3 hrs Emergency Operation time
 - SMD LED Type
 - 30,000 hrs Lifespan

5
YEAR
WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-09	10w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs

SKU: 803 | 3000K WARM WHITE
SKU: 804 | 4000K DAY WHITE
SKU: 805 | 6400K WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE



VANDAL-PROOF





2D Bulkhead with Emergency Battery Backup and Sensor

31_{IN} Emergency Battery Backup
Microwave Sensor


Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/ outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
 - **>1.2 Watts Emergency Standby Watts**
 - **60mA Battery Charging Current**
 - **200mA Battery Discharging Current**
 - **Ni-CD AA, 7.2V 1.0Ah Battery Type**
 - **Green LED Charging indicate**
 - **Including battery protection circuit & inhibiting mode**
 - **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
 - **0.5~3m/s Detection Motion Speed**
 - **PC Body type**
 - **>3 hrs Emergency Operation time**
 - **SMD LED Type**
 - **3m, 5m, 8m, 10m (optional) Detection Distance**
 - **30,000 hrs Lifespan**

3^{YEAR}
WARRANTY*


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE




MODEL	WATTS	LUMENS	BOX QTY.
VT-19	15w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



NEW

EMERGENCY
BATTERY
BACKUP



MICROWAVE
SENSOR

31
IN

EMERGENCY BATTERY BACKUP
MICROWAVE SENSOR



IP65
RATING



SLIM DOMELIGHT

A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type

- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

5
YEAR
WARRANTY*

MODEL	WATTS	LUMENS	BOX QTY.
VT-12S	12w	1440	10 pcs

SKU: 820 | 4000K DAY WHITE




Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

3 YEAR
WARRANTY*

Emergency 
Battery Backup

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 822 4000K DAY WHITE
VT-12SE	14w	1440	10 pcs	



Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch

5 YEAR
WARRANTY*


Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 821 4000K DAY WHITE
VT-12SS	12w	1440	10 pcs	



Slim Domelight with Emergency+Sensor


- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override

3 YEAR
WARRANTY*

31 IN
Emergency 
Battery Backup

Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823 4000K DAY WHITE
VT-12SES	14w	1440	10 pcs	



NEW




Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
 - 120° Beam Angle
 - 30,000 Hours
 - SMD LED Chip
 - CRI >80
- Detection Distance - 6m Max
 - Detection Range - 360°
 - Time Delay - Min-10sec±3sec, Max-3min±30sec
 - Detection motion Speed - 0.6-1.5m/s
 - Ambient Light - <3-2000lux(adjustable)

MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

- SKU: 807 | 3000K WARM WHITE
- SKU: 808 | 4000K DAY WHITE
- SKU: 809 | 6400K WHITE



NEW




Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- Adjustable Angle
 - Input: AC:85-240V,50/60Hz
 - Body type Aluminium
- 120° Beam Angle
 - LED (COB chip) provided by Samsung
 - CRI >80

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs


- SKU: 839 | 3000K WARM WHITE
- SKU: 840 | 4000K DAY WHITE
- SKU: 841 | 6400K WHITE



Cutting Size: ø80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1800	20 pcs


- SKU: 842 | 3000K WARM WHITE
- SKU: 843 | 4000K DAY WHITE
- SKU: 844 | 6400K WHITE



Cutting Size: ø145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2700	10 pcs

- SKU: 845 | 3000K WARM WHITE
- SKU: 846 | 4000K DAY WHITE
- SKU: 832 | 6400K WHITE



Cutting Size: ø195 mm

NEW



Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in Chrome, Nickel, and White finish. With 3000K and 4000K CCT options, built with Aluminium alloy and iron. They are an efficient replacement for traditional downlight fittings.

- 70° Beam Angle
- IP rating IP65
- Material - Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours

30-60-90 MIN

Fire Rated



5

YEAR

WARRANTY*

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8175 3000K WARM WHITE
VT-885-C	5w	500	Chrome	50 pcs	SKU: 8176 4000K DAY WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8173 3000K WARM WHITE
VT-885-N	5w	500	Nickel	50 pcs	SKU: 8174 4000K DAY WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8177 3000K WARM WHITE
VT-885-W	5w	500	White	50 pcs	SKU: 8178 4000K DAY WHITE



Cutting Size: Ø57mm

NEW



Included Bezels



Black



Brush Nickel



Polish Chrome

Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.

- IP65 Rating.
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation

- 60° Beam Angle
- CRI >80
- LED provided by samsung
- 30,000 Hours
- 85x75mm



EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable

30 MIN

60 MIN

90 MIN

Fire Rated

MODEL	WATTS	LUMENS	BOX QTY.
VT-18D	8w	720	30 pcs

SKU: 881 | 3IN1

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)




Off



On (People in)



Off



LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- **Easy to mount**
- **Automatic sensing**
- **Uses battery instead of power supply, no wires**
- **Ideal for wardrobes, bookcases, cupboards, and more...**



5 YEAR
WARRANTY*

VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs

3xAAA (Battery not included)




VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs

4xAA (Battery not included)




NEW

LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- Box Qty: 100pcs



VT-82RD


SKU: 824 | 3000K WARM WHITE
SKU: 825 | 4000K DAY WHITE

SIZE
ø65x53.4mm

VT-82SQ

SKU: 826 | 3000K WARM WHITE
SKU: 827 | 4000K DAY WHITE

SIZE
65x65x53.4mm



VT-83RD


SKU: 828 | 3000K WARM WHITE
SKU: 829 | 4000K DAY WHITE

SIZE
ø60x54.5mm

VT-83SQ

SKU: 830 | 3000K WARM WHITE
SKU: 831 | 4000K DAY WHITE

SIZE
60x60x54.5mm



USB charging ports to charge
USB chargeable devices simul-
taneously



VT-84RD

SKU: 505 | 3000K WARM WHITE
SKU: 506 | 4000K DAY WHITE

SIZE
ø60x54.5mm

VT-84SQ

SKU: 507 | 3000K WARM WHITE
SKU: 508 | 4000K DAY WHITE

SIZE
60x60x54.5mm

NEW

LED Solar Wall and Bollard Lights

Mode 1: Sensor Mode

- Automatically turns on to 10% brightness at dusk
- Turns on to 100% brightness when a motion is detected in the range of < 5 metres
- Turn to 10% brightness in 30 seconds of no motion
- Turns off at dawn

Mode 2: Constant Brightness Mode

- The sensor will be disabled.
- Automatically turns on at dusk (100% brightness) and works constantly until the battery capacity reduces to zero. (Up to 4 hours)

- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- Min 3hrs / Max 12hrs Working Time
- IP65 Rating
- AL+PC Material



VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS BEAM ANGLE

220 **170°**

BOX QTY. SIZE

10 pcs **140x140x290mm**



VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS BEAM ANGLE

280 **120°**

BOX QTY. SIZE

10 pcs **140x140x500mm**




NEW

LED Wall Light



VT-7-06

SKU: 780 | 3000K WARM WHITE
SKU: 781 | 4000K DAY WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.	SIZE
10w	800	110°	20 pcs	300x55x194mm

- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating


NEW

Solar Wall Light



VT-88

SKU: 786 | 3000K WARM WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.	SIZE
0.5w	5	180°	10 pcs	240x62.5x225mm

- 4pcs of LED
- 5.5V 2.5W Solar Panel
- Lithium battery 3.7V 1800mAh
- 4-6 hours sunlight Charging Time
- Minimum 12hrs. Working Time
- IP44 Rating



LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.




Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø500x65mm
Box Qty:	8 Pcs



Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø555x75mm
Box Qty:	6 Pcs



**COLOR
CHANGING
WITH REMOTE**

NEW




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474- 3IN1

3800157643559



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	10 Pcs



DIMMABLE




COLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473- 3IN1

3800157643542



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	8 Pcs




DIMMABLE



COLOR
CHANGING
WITH REMOTE

NEW




Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476- 3IN1

3800157643573



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	10 Pcs




COLOR
CHANGING
WITH REMOTE

Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475- 3IN1

3800157643566



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	6 Pcs



COLOR
CHANGING
WITH REMOTE

NEW




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460- 3IN1

3800157643580



COLOR
CHANGING
WITH REMOTE

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	10 Pcs




DIMMABLE

Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461- 3IN1

3800157643597



COLOR
CHANGING
WITH REMOTE

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	10 Pcs




DIMMABLE

NEW



**COLOR
CHANGING
WITH REMOTE**



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	6 Pcs

Ceiling Lights - Round

14w VT-8073RD

SKU: 1428 - 3000K Warm White	3800157633147
SKU: 1429 - 4000K Day White	3800157633154
SKU: 1430 - 6400K White	3800157633161



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1000lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	257x65mm
Box Qty:	20 Pcs



Ceiling Lights - Round


20w VT-8074RD

SKU: 1431 - 3000K Warm White	3800157633178
SKU: 1432 - 4000K Day White	3800157633185
SKU: 1433 - 6400K White	3800157633192



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	290x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

20w VT-8074SQ

SKU: 1434 - 3000K Warm White 3800157633208
SKU: 1435 - 4000K Day White 3800157633215
SKU: 1436 - 6400K White 3800157633222



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round


24w VT-8075RD

SKU: 1437 - 3000K Warm White 3800157633239
SKU: 1438 - 4000K Day White 3800157633246
SKU: 1439 - 6400K White 3800157633253



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

32w VT-8076SQ

SKU: 1443 - 3000K Warm White 3800157633291
SKU: 1444 - 4000K Day White 3800157633307
SKU: 1445 - 6400K White 3800157633314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round


32w VT-8076RD

SKU: 1440 - 3000K Warm White 3800157633260
SKU: 1441 - 4000K Day White 3800157633277
SKU: 1442 - 6400K White 3800157633284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

15w VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477
 SKU: 5567 - 4000K Day White 3800157610360
 SKU: 1391 - 6400K White 3800157626484

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



Ceiling Lights - Round

15w VT-8033RD

SKU: 1388 - 3000K Warm White 3800157626453
 SKU: 5566 - 4000K Day White 3800157610353
 SKU: 1389 - 6400K White 3800157626460

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



Ceiling Lights - Square

25w VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280
 SKU: 1396 - 4200K Day White 3800157628297
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



Ceiling Lights - Round

25w VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259
 SKU: 1393 - 4200K Day White 3800157628266
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS
 Luxurious Finish
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval


8w VT-8038-B

SKU: 1308 - 3000K Warm White 3800157620260
SKU: 1309 - 4500K Day White 3800157620277
SKU: 1310 - 6000K White 3800157620284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval


8w VT-8038-W

SKU: 1311 - 3000K Warm White 3800157620291
SKU: 1312 - 4000K Day White 3800157620307
SKU: 1313 - 6000K White 3800157620314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star


8w VT-8061

SKU: 1370 - 3000K Warm White 3800157626262
SKU: 1371 - 4000K Day White 3800157626279
SKU: 1372 - 6400K White 3800157626286



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø215x78mm
Box Qty:	20 Pcs



Bling Star


12w VT-8062

SKU: 1373 - 3000K Warm White 3800157626293
SKU: 1374 - 4000K Day White 3800157626309
SKU: 1375 - 6400K White 3800157626316



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



Bling Star

18w VT-8063

SKU: 1376 - 3000K Warm White 3800157626323
 SKU: 1377 - 4000K Day White 3800157626330
 SKU: 1378 - 6400K White 3800157626347



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1260lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø290x92mm
Box Qty:	10 Pcs



Bling Star


24w VT-8064

SKU: 1379 - 3000K Warm White 3800157626354
 SKU: 1380 - 4000K Day White 3800157626361
 SKU: 1381 - 6400K White 3800157626378



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1680lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø330x102mm
Box Qty:	10 Pcs



Ceiling Lights - Round


12w VT-8031

SKU: 1414 - 3000K Warm White 3800157630092
 SKU: 5563 - 4500K Day White 3800157610322
 SKU: 5562 - 6500K White 3800157610315



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø250x80mm
Box Qty:	16 Pcs



Ceiling Lights - Round

24w VT-8032

SKU: 1415 - 3000K Warm White 3800157630108
 SKU: 5565 - 4500K Day White 3800157610346
 SKU: 5564 - 6500K White 3800157610339



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø320x95mm
Box Qty:	10 Pcs



Dome Series - Oval


8w VT-8014-OV-B

SKU: 1267 - 3000K Warm White 3800157611893
SKU: 1266 - 4000K Day White 3800157611886
SKU: 1268 - 6400K White 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


8w VT-8014-OV-W

SKU: 1264 - 3000K Warm White 3800157611862
SKU: 1263 - 4500K Day White 3800157611855
SKU: 1265 - 6400K White 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


12w VT-8016-B

SKU: 5056 - 4500K Day White 3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



Dome Series - Oval


12w VT-8016-W

SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



Dome Series - Round


8W VT-8014-RD-W

SKU: 4999 - 3000K Warm White 3800157602556
 SKU: 1259 - 4500K Day White 3800157611817
 SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



Dome Series - Round


8W VT-8014-RD-B

SKU: 1261 - 3000K Warm White 3800157611831
 SKU: 1260 - 4000K Day White 3800157611824
 SKU: 1262 - 6000K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



Dome Series - Oval


12W VT-8015-B

SKU: 1349 - 3000K Warm White 3800157624046
 SKU: 5052 - 4000K Day White 3800157603317
 SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549
 SKU: 5050 - 4500K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



Dome Series - Oval


12w VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053
 SKU: 4973 - 4500K Day White 3800230629050
 SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø242x96mm



Dome Series - Oval


12w VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060
 SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12min±1min


Dome Sensor Series

16w VT-8001C

SKU: 1281 - 3000K Warm White 3800157612678
 SKU: 1282 - 6000K White 3800230625809
 3800157612685



Built In LED




Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:200-240V,50/60Hz
Rated Load:	16w
Watts:	16w

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP54
Dimension:	Ø296 x 96mm
Time Delay:	Min. 10 sec to 12 min
Box Qty:	5 Pcs

Dome Sensor Series
12w VT-8017

SKU: 5057 - 3000K Warm White 3800157605250
SKU: 5058 - 4000K Day White 3800157605267
SKU: 5059 - 6400K White 3800157605274



Sensor Type:	PIR
Color:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	12W(24PCS LED)
Watts:	12w

Detection Distance:	Max. 6m(<24°C)
Body Type:	Plastic CLAD Aluminium
IP Rating:	IP20
Dimension:	Ø290x60mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12min±1min

