



LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments





KEY FEATURES


- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode



Exit Light - Surface

VT-519-S-12 SKU: 836 - 6000K WHITE

12Hrs
 CHARGING TIME



Watts: 2w
 Lamp Type: 16 SMD LEDs
 Lumens: 140lm
 Input Voltage: AC:220-240V,50/60Hz
 IP Rating: IP20
 Material : PC
 Exit Lamp Type: Wall/Ceiling
 Viewing Distance: 24 Meters From Both Sides


Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 3 Stickers
 Legends: 3 Way Legend Available
 Mode Of Operation: Maintained
 Box Qty: 10pcs



Exit Light-Recessed

VT-522-S-12 SKU: 835 - 6000K WHITE

12Hrs
 CHARGING TIME



Watts: 2w
 Lamp Type: 16 SMD LEDs
 Lumens: 140lm
 Input Voltage: AC:220-240V,50/60Hz
 IP Rating: IP20
 Material : PC
 Exit Lamp Type: Recessed/Ceiling
 Viewing Distance: 24 Meters From Both Sides


Emergency Operation Time: >3 Hours
 Battery: Ni-Cd 3.6V,900mAh
 Recharging Time: 12 Hours
 Test Button: Green Light Indicator Test Button
 Stickers: 3 Stickers
 Legends: 3 Way Legend Available
 Mode Of Operation: Maintained
 Box Qty: 10pcs



Exit Light - Bulkhead

VT-523-S-12 SKU: 837 - 6000K WHITE

12Hrs
 CHARGING TIME



Exit Light - Bulkhead

VT-523-S-24 SKU: 847 - 6000K WHITE

24Hrs
 CHARGING TIME

Watts:	3w
Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
IP Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side


Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v, 1500mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	12pcs



Exit Light - Bulkhead

VT-524-S-12 SKU: 838 - 6000K WHITE

12Hrs
 CHARGING TIME



Watts:	4w
Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
IP Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	3 Stickers
Legends:	3 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	12pcs



LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

Product Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⊕ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- 🕒 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- 🔩 Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✅ Reliable Emergency backup of 3 hours




Exit Light - Surface

2W VT-519

SKU: 8099 - 6000K White 3800157623155

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

24Hrs CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light - Surface

2W VT-519-12

SKU: 8312 - 6000K White 3800157630764

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

12Hrs CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Surface Hanging

2W VT-520

SKU: 8100 - 6000K White 3800157623162

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

24Hrs CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Surface Hanging

2W VT-520-12

SKU: 8313 - 6000K White 3800157630771

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

12Hrs CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Hanging

2w VT-521-12

SKU: 8314 - 6000K White 3800157630788

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



Exit Light-Recessed


2w VT-522-12

SKU: 8315 - 6000K White 3800157630795



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



Exit Light - Bulkhead

3w VT-523-12

SKU: 8311 - 6000K White 3800157630757

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	12 Hours



Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs



NEW



Emergency -Bulkhead

3w VT-533

SKU:8437 - 6000K White 3800157641296

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	ABS+PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours



Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs






Exit Light - Bulkhead

4W VT-524-12

SKU: 8382 - 6000K White 3800157635493

12Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC


Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Emergency-Downlight

3W VT-503

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Mouled:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs

Emergency-Twin Spotlight


6W VT-526-IP65

SKU: 80981 - 6000K White 3800157623148



24Hrs
CHARGING TIME

IP65
RATING



Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs