



# LED TRACK LIGHTS

Color has a massive influence on purchasing decisions. V-TAC's new generation of innovative 4-Line LED Track Lights are the premiere choice for retail lighting since Samsung's COB solution are optimized for this purpose. The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-Line track lights are included in this new generation of track lights from V-TAC.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





## KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

## LED TRACKLIGHTS

### 4 Line Tracklights-Black Body

**5** YEAR  
**WARRANTY\***


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.



- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°

SKU: 353 | 3000K WARM WHITE  
 SKU: 354 | 4000K DAY WHITE  
 SKU: 355 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°

SKU: 359 | 3000K WARM WHITE  
 SKU: 360 | 4000K DAY WHITE  
 SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°

SKU: 365 | 3000K WARM WHITE  
 SKU: 366 | 4000K DAY WHITE  
 SKU: 367 | 5000K WHITE



## LED TRACKLIGHTS

### 4 Line Tracklights-White Body

**5** YEAR  
**WARRANTY\***


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.



- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°

SKU: 350 | 3000K WARM WHITE  
 SKU: 351 | 4000K DAY WHITE  
 SKU: 352 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°

SKU: 356 | 3000K WARM WHITE  
 SKU: 357 | 4000K DAY WHITE  
 SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°

SKU: 362 | 3000K WARM WHITE  
 SKU: 363 | 4000K DAY WHITE  
 SKU: 364 | 5000K WHITE



## LED TRACKLIGHTS

### LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**



**5** YEAR  
**WARRANTY\***


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 371 | 3000K WARM WHITE
- SKU: 372 | 4000K DAY WHITE
- SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 368 | 3000K WARM WHITE
- SKU: 369 | 4000K DAY WHITE
- SKU: 370 | 5000K WHITE





## LED LINEAR LIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



## LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

### Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

### Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.



Tracklights-Smart Color Changing  
15w VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650
LED Type:	COB
CRI:	>80
PF:	>0.5





CCT AND DIMMING  
VIA SMART PHONE APP



Beam Angle:	18°-48°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x141x60mm
Box Qty:	20 Pcs

CCT Adjustable  
2800K/4000K/6000K

5 YEAR  
WARRANTY



Tracklights-Smart Color Changing  
15w VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500
LED Type:	COB
CRI:	>80
PF:	>0.5





CCT AND DIMMING  
VIA SMART PHONE APP



Beam Angle:	18°-48°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x141x60mm
Box Qty:	20 Pcs

CCT Adjustable  
2800K/4000K/6000K

5 YEAR  
WARRANTY



Tracklights-Smart Color Changing  
35w VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2350
LED Type:	COB
CRI:	>80
PF:	>0.9





CCT AND DIMMING  
VIA SMART PHONE APP



Beam Angle:	16°-53°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x183x93mm
Box Qty:	20 Pcs

CCT Adjustable  
2800K/4000K/6000K

5 YEAR  
WARRANTY



Tracklights-Smart Color Changing  
35w VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1950
LED Type:	COB
CRI:	>80
PF:	>0.9





CCT AND DIMMING  
VIA SMART PHONE APP



Beam Angle:	16°-53°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x183x93mm
Box Qty:	20 Pcs

CCT Adjustable  
2800K/4000K/6000K

5 YEAR  
WARRANTY







### Tracklights-Color Changing

## 18w VT-4718-W

SKU: 1410 - 3 IN 1 3800157629324



**CCT Adjustable**  
2800K/4000K/6000K




**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 18w VT-4718-B

SKU: 1411 - 3 IN 1 3800157629331



**CCT Adjustable**  
2800K/4000K/6000K




**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 35w VT-4745-W

SKU: 1412 - 3 IN 1 3800157629348



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 35w VT-4745-B

SKU: 1413 - 3 IN 1 3800157629355



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



**5 YEAR**  
WARRANTY\*




Tracklights-Black-White Body  
**10w VT-4512**

SKU: 1332 - 3000K Warm White 3800157620604  
SKU: 1333 - 4000K Day White 3800157620611  
SKU: 1334 - 6000K White 3800157620628

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs




Tracklights-Black-White Body  
**25w VT-4528**

SKU: 1335 - 3000K Warm White 3800157620635  
SKU: 1336 - 4000K Day White 3800157620642  
SKU: 1337 - 6000K White 3800157620659

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs




Tracklights-Black-White Body  
**35w VT-4537**

SKU: 1338 - 3000K Warm White 3800157620666  
SKU: 1339 - 4000K Day White 3800157620673  
SKU: 1340 - 6000K White 3800157620680

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs



Tracklights-CREE COB-15° to 60°  
**35w VT-4735**


SKU: 1357 - 3000K Warm White 3800157625074  
SKU: 1358 - 4000K Day White 3800157625081  
SKU: 1359 - 6400K White 3800157625098



**15° to 60°**  
Beam Angle  
Adjustable by Rotating

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	15°-60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Aluminium
LED Type:	COB(CREE)	Life span:	30,000 Hours
CRI:	>80	Dimension:	178.4x197.7x95mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-White Body 15w VT-4615W



SKU: 1298 - 3000K Warm White  
SKU: 1299 - 4000K Day White  
SKU: 1300 - 6400K White

3800157619851  
3800157619868  
3800157619875

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*



### Tracklights-Black Body 15w VT-4615B



SKU: 1301 - 3000K Warm White  
SKU: 1302 - 4000K Day White  
SKU: 1303 - 6400K White

3800157619882  
3800157619899  
3800157619905

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*



### Tracklights-White Body 30w VT-4635W



SKU: 1292 - 3000K Warm White  
SKU: 1293 - 4000K Day White  
SKU: 1294 - 6400K White

3800157619790  
3800157619806  
3800157619813

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*



### Tracklights-Black Body 30w VT-4635B


SKU: 1295 - 3000K Warm White  
SKU: 1296 - 4000K Day White  
SKU: 1297 - 6400K White

3800157619820  
3800157619837  
3800157619844

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*







Tracklights-Black Body  
33W VT-4535

SKU: 1233 - 3000K Warm White 3800157603720  
SKU: 1234 - 4000K Day White 3800157603737  
SKU: 1235 - 5000K White 3800157603744



Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
45W VT-4545

SKU: 1236 - 3000K Warm White 3800157603751  
SKU: 1237 - 4000K Day White 3800157603768  
SKU: 1238 - 5000K White 3800157603775



Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
20W VT-4521T

SKU: 1202 - 5000K Day White 3800157600187



Sensor Compatible:	Yes	Beam Angle:	46°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1500lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	Ø80x185mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
40W VT-4540T

SKU: 1191 - 3000K Warm White 3800230629548  
SKU: 1192 - 5000K Day White 3800230629555

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs







### Tracklights-White Body 33W VT-4534W

SKU: 1241 - 3000K Warm White 3800157603997  
SKU: 1229 - 4000K Day White 3800157602501  
SKU: 1230 - 5000K White 3800157602518



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs



### Tracklights-Black Body 33W VT-4534B

SKU: 1242 - 3000K Warm White 3800157604000  
SKU: 1231 - 4000K Day White 3800157602525  
SKU: 1232 - 5000K White 3800157602532



Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs



### Tracklights-White Body 35W VT-4536W

SKU: 1255 - 3000K Warm White 3800157607551  
SKU: 1256 - 4500K Day White 3800157607568  
SKU: 1257 - 6000K White 3800157607575



Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



### Tracklights-Black Body 35W VT-4536B

SKU: 1285 - 3000K Warm White 3800157618694  
SKU: 1286 - 4000K Day White 3800157618700  
SKU: 1287 - 6000K White 3800157618717

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



<p>Track Fittings-4Line-PAR20 Model: VT-7112-4W SKU : 3554 EAN : 3800230628398 Box Qty: 18 Pcs</p>	<p>Track Fittings-2Line-PAR20 Model: VT-7112-2W SKU : 3556 EAN : 3800230628411 Box Qty: 18 Pcs</p>	<p>Track Fittings-4Line-PAR20 Model: VT-7112-4B SKU : 3553 EAN : 3800230628381 Box Qty: 18 Pcs</p>	<p>Track Fittings-4Line-PAR38 Model: VT-7116-4W SKU : 3570 EAN : 3800157604252 Box Qty: 18 Pcs</p>	<p>Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs</p>
<p>Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs</p>
<p>4 Wired Y Series-Connectors SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs</p>	<p>Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs</p>
<p>Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs</p>	<p>Hanging Trackline Kit-1 SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs</p>	<p>Hanging Trackline Kit-1 SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs</p>	<p>4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs</p>	<p>4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs</p>	<p>4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs</p>
<p>4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-788 SKU : 3617 EAN : 3800157607469 Box Qty: 20 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-789 SKU : 3618 EAN : 3800157607476 Box Qty: 20 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-790 SKU : 3619 EAN : 3800157607483 Box Qty: 10 Pcs</p>