



LED FLOODLIGHTS

V-TAC's all new slimline series are manufactured with cutting-edge components to deliver an exceptional performance. Together with its new sleek design, its diecast aluminum and IP65-rated body makes each unit extremely sturdy and perfect for outdoor applications.

This extensive range of 10w to 300w floodlights is ready to impress in terms of efficiency, as it has powerful illumination of up to 16000 lumens, brought by its Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas





KEY FEATURES

- IP65 Rated: high-quality components used to ensure waterproof/airtight performance
- Modern and ultra-strong enclosure with a minimalistic design, for high-end support and design
- Includes black, white, grey, and PIR series
- Select units inclusive of a 1-metre wire for easy installation





IP65
RATING

ONE METER WIRE

5 YEAR
WARRANTY


LED FLOODLIGHTS

Slimline-White Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-W

- SKU: 427 | 3000K WARM WHITE
- SKU: 428 | 4000K DAY WHITE
- SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-W

- SKU: 442 | 3000K WARM WHITE
- SKU: 443 | 4000K DAY WHITE
- SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-W

- SKU: 403 | 3000K WARM WHITE
- SKU: 404 | 4000K DAY WHITE
- SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-W

- SKU: 409 | 3000K WARM WHITE
- SKU: 410 | 4000K DAY WHITE
- SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-W


SKU: 415 | 3000K WARM WHITE
SKU: 416 | 4000K DAY WHITE
SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-W


SKU: 478 | 3000K WARM WHITE
SKU: 479 | 4000K DAY WHITE
SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-W


SKU: 420 | 4000K DAY WHITE
SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-W

SKU: 486 | 4000K DAY WHITE
SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



LED FLOODLIGHTS

www.v-tac.eu | www.vtacexports.com



IP65
RATING

ONE METER WIRE

5 YEAR
WARRANTY


LED FLOODLIGHTS

Slimline-Black Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-B

- SKU: 424 | 3000K WARM WHITE
- SKU: 425 | 4000K DAY WHITE
- SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-B

- SKU: 439 | 3000K WARM WHITE
- SKU: 440 | 4000K DAY WHITE
- SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-B

- SKU: 400 | 3000K WARM WHITE
- SKU: 401 | 4000K DAY WHITE
- SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-B

- SKU: 406 | 3000K WARM WHITE
- SKU: 407 | 4000K DAY WHITE
- SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-B


- SKU: 412 | 3000K WARM WHITE
- SKU: 413 | 4000K DAY WHITE
- SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-B


- SKU: 475 | 3000K WARM WHITE
- SKU: 476 | 4000K DAY WHITE
- SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-B


- SKU: 418 | 4000K DAY WHITE
- SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-B

- SKU: 422 | 4000K DAY WHITE
- SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE



LED FLOODLIGHTS

www.v-tac.eu | www.vtacexports.com



IP65
RATING

ONE METER WIRE

5 YEAR
WARRANTY


LED FLOODLIGHTS

Slimline-Grey Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- **Diecast body**
- **100° beam angle**
- **30,000-hr lifespan**
- **CRI: >80**
- **PF: >0.9**
- **AC:220-240V,50Hz**
- **IP65 Rating**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-10-G

- SKU: 430 | 3000K WARM WHITE
- SKU: 431 | 4000K DAY WHITE
- SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-20-G

- SKU: 445 | 3000K WARM WHITE
- SKU: 446 | 4000K DAY WHITE
- SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-30-G

- SKU: 454 | 3000K WARM WHITE
- SKU: 455 | 4000K DAY WHITE
- SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




VT-50-G

- SKU: 463 | 3000K WARM WHITE
- SKU: 464 | 4000K DAY WHITE
- SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-100-G


- SKU: 472 | 3000K WARM WHITE
- SKU: 473 | 4000K DAY WHITE
- SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-150-G


- SKU: 481 | 3000K WARM WHITE
- SKU: 482 | 4000K DAY WHITE
- SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-200-G


- SKU: 484 | 4000K DAY WHITE
- SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-300-G

- SKU: 488 | 4000K DAY WHITE
- SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



1 METER WIRE



LED FLOODLIGHTS

www.v-tac.eu | www.vtacexports.com



IP65
RATING



5 YEAR
WARRANTY


LED FLOODLIGHTS

PIR Sensor White Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek white finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-W


SKU: 433 | 3000K WARM WHITE
SKU: 434 | 4000K DAY WHITE
SKU: 435 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-W


SKU: 448 | 3000K WARM WHITE
SKU: 449 | 4000K DAY WHITE
SKU: 450 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-W


SKU: 457 | 3000K WARM WHITE
SKU: 458 | 4000K DAY WHITE
SKU: 459 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-W

SKU: 466 | 3000K WARM WHITE
SKU: 467 | 4000K DAY WHITE
SKU: 468 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE




LED FLOODLIGHTS

PIR Sensor Black Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek black finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-10-S-B


SKU: 436 | 3000K WARM WHITE
SKU: 437 | 4000K DAY WHITE
SKU: 438 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-20-S-B


SKU: 451 | 3000K WARM WHITE
SKU: 452 | 4000K DAY WHITE
SKU: 453 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-30-S-B


SKU: 460 | 3000K WARM WHITE
SKU: 461 | 4000K DAY WHITE
SKU: 462 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



1 METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



VT-50-S-B

SKU: 469 | 3000K WARM WHITE
SKU: 470 | 4000K DAY WHITE
SKU: 471 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



1 METER WIRE



LED FLOODLIGHTS

Rechargeable Floodlight

Strong, reliable portable lamp – V-TAC's new compact and rechargeable LED floodlights can easily be recharged through its micro socket & is built with USB output port making it perfect for home projects, garages, warehouses, basements, gardens, workshops, car repair shops, parking lots, camping, fishing, hiking, and more.

- **Rechargeable**
- **No Lead or Mercury content**
- **Life Hours of 30,000 Hours**
- **LED provided by Samsung**
- **IP Rating - IP44**
- **AC: 100-240V**


VT-10-R

SKU:503 | 4000K DAY WHITE

WATTS	LUMENS	BOX
10w	700	20 pcs



BATTERY
3.7V Li-Ion 3600mAh



VT-11-R

SKU:502 | 4000K DAY WHITE


WATTS	LUMENS	BOX
10w	700	20 pcs



BATTERY
3.7V Li-Ion 3600mAh



SOS
FLASH



VT-20-R

SKU:504 | 6400K WHITE


WATTS	LUMENS	BOX
20w	1400	20 pcs



BATTERY
3.7V Li-Ion 7200mAh



SOS
FLASH





DIMMABLE



Your Reliable Power Partner

5 YEAR
WARRANTY*


LED FLOODLIGHTS

Sports Light



The new LED Sports Light with Samsung LED offers a range of distributions and up to 67500 lumens, offering excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.




- Using **MEAN WELL** driver
- No Lead or Mercury content
- Life Hours of 30,000 Hours
- LED provided by Samsung
- Saves 80% energy
- IP65 Rating



VT-500D

SKU: 490 | 5000K WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs




VT-501D

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs



LED FLOODLIGHTS



LED FLOODLIGHTS

LED Super Pro Floodlights



Available in 250W, 500W and 1000W, our heavy-duty IP66 LED Floodlights make a good choice for outdoor applications that need intensive and bright lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- **AC: 100-277V**
- **IP66 Rating and strong die cast aluminum body for durability**
- **50,000-hr lifespan**

- **Available in 60° & 120° Beam Angle**
- **CRI: >70**
- **PF: > 0.9**

BEAM ANGLE 120°

VT-253D


SKU: 494 | 4000K DAY WHITE
SKU: 501 | 6000K WHITE

WATTS	LUMENS	BOX	WEIGHT
250w	31250	1 pcs	8KG

BEAM ANGLE 60°

VT-252D

SKU: 495 | 4000K DAY WHITE
SKU: 500 | 6000K WHITE



BEAM ANGLE 120°

VT-503D


SKU: 496 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
500w	62500	1 pcs	20.5KG

BEAM ANGLE 60°

VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

VT-1003D


SKU: 498 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
1000w	125000	1 pcs	30.8KG

BEAM ANGLE 60°

VT-1002D

SKU: 499 | 4000K DAY WHITE





LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof / airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

Applications

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots





Slimline-White Body-White Wire

50w VT-4955W

SKU: 5827 - 6400K White

3800157615013



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4250lm
Color of Fixture:	White

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	237x194x38mm
Box Qty:	10 Pcs





Slimline-White Body-White Wire

100w VT-49100W

SKU: 5844 - 4000K Day White

3800157615181



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	8500lm
Color of Fixture:	White

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	293x41x21mm
Box Qty:	4 Pcs



Slimline-White Body-White Wire

100w VT-49101W

SKU: 5970 - 3000K Warm White


3800157626231

SKU: 5971 - 4000K Day White

3800157626248

SKU: 5972 - 6400K White

3800157626255



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8500lm
Color of Fixture:	White

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	291x240x30mm
Box Qty:	4 Pcs





Slimline-Black/Grey Body

150w VT-49150GB

SKU: 5858 - 3000K Warm White

3800157615327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	12750lm
Color of Fixture:	Black+Grey

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	411x313x51mm
Box Qty:	2 Pcs





I Series-White Body

50w VT-4651W

SKU: 5906 - 6000K White

3800157619394



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	4250lm
Color of Fixture:	White

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	110°

Body Type:	Aluminium
Dimension:	255x196x36mm
Box Qty:	10 Pcs





E Series-White Body

10W VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364
 SKU: 5944 - 4000K Day White 3800157625371
 SKU: 5945 - 6500K White 3800157625388

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **850lm**
 Color of Fixture: **White**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**



Body Type: **Aluminium**
 Dimension: **110x112x22mm**
 Box Qty: **40 Pcs**





E Series-White Body

20W VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425
 SKU: 5950 - 4000K Day White 3800157625432
 SKU: 5951 - 6500K White 3800157625449

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **1700lm**
 Color of Fixture: **White**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**



Body Type: **Aluminium**
 Dimension: **150x143x26mm**
 Box Qty: **20 Pcs**





E Series-White Body

30W VT-4031W

SKU: 5955 - 3000K Warm White 3800157625487
 SKU: 5956 - 4000K Day White 3800157625494
 SKU: 5957 - 6500K White 3800157625500

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **2550lm**
 Color of Fixture: **White**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**



Body Type: **Aluminium**
 Dimension: **185x163x26mm**
 Box Qty: **20 Pcs**





E Series-White Body

50W VT-4051W

SKU: 5961 - 3000K Warm White 3800157625548
 SKU: 5962 - 4000K Day White 3800157625555
 SKU: 5963 - 6500K White 3800157625562

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **4250lm**
 Color of Fixture: **White**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**



Body Type: **Aluminium**
 Dimension: **245x192x28mm**
 Box Qty: **10 Pcs**





E Series-White Body

100w VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609
 SKU: 5968 - 4000K Day White 3800157625616
 SKU: 5969 - 6500K White 3800157625623

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50/60Hz**
 Luminous Flux: **8500lm**
 Color of Fixture: **White**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**



Body Type: **Aluminium**
 Dimension: **330x271x33mm**
 Box Qty: **5 Pcs**

E Series-Black Body



10w VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333
 SKU: 5941 - 4000K Day White 3800157625340
 SKU: 5942 - 6500K White 3800157625357

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **850lm**
 Color of Fixture: **Black**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **110x112x22mm**
 Box Qty: **40 Pcs**



E Series-Black Body



20w VT-4021B

SKU: 5946 - 3000K Warm White 3800157625395
 SKU: 5947 - 4000K Day White 3800157625401
 SKU: 5948 - 6500K White 3800157625418

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **1700lm**
 Color of Fixture: **Black**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **150x143x26mm**
 Box Qty: **20 Pcs**



E Series-Black Body



30w VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456
 SKU: 5953 - 4000K Day White 3800157625463
 SKU: 5954 - 6500K White 3800157625470

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **2550lm**
 Color of Fixture: **Black**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **185x163x26mm**
 Box Qty: **20 Pcs**



E Series-Black Body



50w VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517
 SKU: 5959 - 4000K Day White 3800157625524
 SKU: 5960 - 6500K White 3800157625531

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **4250lm**
 Color of Fixture: **Black**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **245x192x28mm**
 Box Qty: **10 Pcs**



E Series-Black Body



100w VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579
 SKU: 5965 - 4000K Day White 3800157625586
 SKU: 5966 - 6500K White 3800157625593

Sensor Compatible: **Yes**
 Voltage/Frequency: **AC:220-240V,50Hz**
 Luminous Flux: **8500lm**
 Color of Fixture: **Black**

CRI: **>70**
 PF: **>0.9**
 IP Rating: **IP65**
 Beam Angle: **110°**

Body Type: **Aluminium**
 Dimension: **330x271x33mm**
 Box Qty: **5 Pcs**



NEW


E Series-Black Body

10w VT-4011

SKU: 5988 - Green
SKU: 5989 - Red
SKU: 5990 - Blue



3800157625333
3800157625340
3800157625357



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Color of Fixture: **Black**

CRI: **>70**
PF: **>0.9**
IP Rating: **IP65**
Beam Angle: **110°**

Body Type: **Aluminium**
Dimension: **110x112x22mm**
Box Qty: **40 Pcs**

NEW


E Series-Black Body

20w VT-4021

SKU: 5991 - Green
SKU: 5992 - Red
SKU: 5993 - Blue



3800157625395
3800157625401
3800157625418



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Color of Fixture: **Black**

CRI: **>70**
PF: **>0.9**
IP Rating: **IP65**
Beam Angle: **110°**

Body Type: **Aluminium**
Dimension: **150x143x26mm**
Box Qty: **20 Pcs**



Floodlight With Stand- EU Plug

30w VT-4230

SKU: 5927 - 4000K Day White
SKU: 5928 - 6400K White

3800157622837
3800157622844

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **2550lm**
Color of Fixture: **Black**

CRI: **>70**
PF: **>0.9**
IP Rating: **IP65**
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**
Dimension: **243x275x184mm**
Box Qty: **10 Pcs**



Floodlight With Stand- EU Plug

50w VT-4250

SKU: 5930 - 6400K White

3800157622868

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **4250lm**
Color of Fixture: **Black**

CRI: **>70**
PF: **>0.9**
IP Rating: **IP65**
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**
Dimension: **278x313x183mm**
Box Qty: **10 Pcs**


Floodlight With Stand- EU Plug

100w VT-42100

SKU: 5931 - 4000K Day White
SKU: 5932 - 6400K White

3800157622875
3800157622882

EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**
Voltage/Frequency: **AC:220-240V,50Hz**
Luminous Flux: **8500lm**
Color of Fixture: **Black**

CRI: **>70**
PF: **>0.9**
IP Rating: **IP65**
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**
Dimension: **354x378x184mm**
Box Qty: **4 Pcs**



Rechargeable-IP44
20W VT-4822

SKU: 5735 - 6000K White

3800157606929



Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: 1600lm

Color of Fixture: Green

Body Type: Plastic+Aluminium

PF: >70

IP Rating: IP44

Beam Angle: 100°

Box Qty: 10 Pcs

Battery Capacity: 3.7V,8800mAh

Charging Time: 5-6 Hours

Working Time: High Light 2-3 Hours/ Low Light 6Hours

Dimension: 208x204x355mm

Solar-Floodlight

5W VT-777-5

SKU: 8547 - 4000K Day White

3800157639194



Sensor Compatible: N/A

Voltage/Frequency: 3.7V Lithium Bat-

Luminous Flux: 500lm

Color of Fixture: 500lm

CRI: >70

PF: >0.5

IP Rating: IP65

Beam Angle: 90°

Body Type: ABS+PC

Dimension: 217.4x149.3x33.7mm

Box Qty: 18Pcs

Solar-Floodlight

10W VT-787-10

SKU: 8550 - 4000K Day White

3800157639224



Voltage/Frequency: N/A3.7V Lithium Battery, 3000mAh

Luminous Flux: 1100lm

Color of Fixture: Black

CRI: >70

PF: >0.5

IP Rating: IP65

Beam Angle: 90°

Body Type: ABS+PC

Dimension: 300x215x35mm

Box Qty: 8Pcs

NEW

Solar-Floodlight

25W VT-25W

SKU: 8573 - 4000K Day White

3800157645584



Battery: 5000mAh

Voltage/Frequency: DC:3.2V

Luminous Flux: 550lm

Color of Fixture: Black

Charging Time: 4 Hours

Working Time: 8 Hours

IP Rating: IP65


Beam Angle: 120°

CRI: >70

Body Type: Aluminium

Dimension: 205x50x170mm

Box Qty: 8Pcs



NEW

Solar-Floodlight

40W VT-40W

SKU: 8574 - 4000K Day White

3800157645591



Battery: 10000mAh

Voltage/Frequency: DC:3.2V

Luminous Flux: 1050lm

Color of Fixture: Black

Charging Time: 4 Hours

Working Time: 8 Hours

IP Rating: IP65


Beam Angle: 120°

CRI: >70

Body Type: Aluminium

Dimension: 247x65x210mm

Box Qty: 6Pcs



NEW

Solar-Floodlight
60W VT-60W

SKU: 8575 - 4000K Day White


3800157645607

Solar
LightsUV
PROTECTIONIP65
RATING

Battery:	10000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	1650lm
Color of Fixture:	Black

Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°

CRI:	>70
Body Type:	Aluminium
Dimension:	270x70x238mm
Box Qty:	5Pcs



NEW

Solar-Floodlight
100W VT-100W

SKU: 8576 - 4000K Day White


3800157645614

Solar
LightsUV
PROTECTIONIP65
RATING

Battery:	15000mAh
Voltage/Frequency:	DC:6.4V
Luminous Flux:	2450lm
Color of Fixture:	Black

Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°

CRI:	>70
Body Type:	Aluminium
Dimension:	325x85x280mm
Box Qty:	2Pcs



NEW

Solar-Floodlight
200W VT-200W

SKU: 8577 - 4000K Day White


3800157645621

Solar
LightsUV
PROTECTIONIP65
RATING

Battery:	20000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	3100lm
Color of Fixture:	Black

Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°

CRI:	>70
Body Type:	Aluminium
Dimension:	353x90x304mm
Box Qty:	2Pcs



NEW

Solar-Floodlight
300W VT-300W

SKU: 8578 - 4000K Day White


3800157645638

Solar
LightsUV
PROTECTIONIP65
RATING

Battery:	25000mAh
Voltage/Frequency:	DC:10V
Luminous Flux:	4200lm
Color of Fixture:	Black

Charging Time:	4 Hours
Working Time:	8 Hours
IP Rating:	IP65
Beam Angle:	120°

CRI:	>70
Body Type:	Aluminium
Dimension:	437x90x356mm
Box Qty:	2Pcs

Floodlight-Infrared-RGB
10w VT-4711RF

SKU: 5894 - RGB


3800157617512

IP65
RATING

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	White

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs






Floodlight-Infrared-RGB

10W VT-4711F

SKU: 5895 - RGB

3800157617529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs




Floodlight-Remote Control-RGB

30W VT-4732

SKU: 5755 - RGB

3800157609517



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V
Luminous Flux:	2400lm
Color of Fixture:	Grey


CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	136x227x206mm
Box Qty:	6 Pcs



High Lumen-Meanwell Driver

500W VT-49500

SKU: 5934 - 4500K Day White
SKU: 5935 - 6000K White3800157623605
3800157623612

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
Color of Fixture:	Grey


CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	658x154x537mm
Box Qty:	1 Pc



High Lumen-Meanwell Driver

500W VT-49501

SKU: 5936 - 4000K Day White
SKU: 5937 - 6000K White3800157624985
3800157624992

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
Color of Fixture:	Black


CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	120°

Body Type:	Die Cast Aluminium
Dimension:	658x154x537mm
Box Qty:	1 Pc



High Lumen-Meanwell Driver

1000W VT-491001

SKU: 5938 - 4000K Day White
SKU: 5939 - 6000K White3800157625005
3800157625012

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120000lm
Color of Fixture:	Black

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	60°

Body Type:	Die Cast Aluminium
Dimension:	748x762x154mm
Box Qty:	1 Pc

LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.



PIR-Slimline-White Body

20W VT-4922PIRW


SKU: 5804 - 3000K Warm White 3800157614788
SKU: 5806 - 6000K White 3800157614801




Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 1600lm



CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 181x205x57mm
Box Qty: 20 Pcs



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

PIR-Slimline-White Body

30W VT-4933PIRW


SKU: 5824 - 6400K White 3800157614986




Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2550lm



CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 217x231x59mm
Box Qty: 20 Pcs



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

PIR-Slimline-White Body

50W VT-4955PIRW


SKU: 5840 - 3000K Warm White 3800157615143
SKU: 5842 - 6400K White 3800157615167




Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 4250lm



CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 237x251x62mm
Box Qty: 10 Pcs



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.

PIR-Slimline-Black Body

30W VT-4933PIRB


SKU: 5819 - 3000K Warm White 3800157614931




Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2550lm



CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 217x231x59mm
Box Qty: 20 Pcs



Note: The Curves indicate the illuminated area and the average illumination when the luminaire is at different distances.




PIR-Slimline-White Body
30w VT-4830PIRW
SKU: 5752 - 6000K White 3800157608893




Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2400lm

CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 217x231x51mm
Box Qty: 10 Pcs




PIR-Slimline-Black Body
30w VT-4830PIRB
SKU: 5699 - 3000K Warm White 3800157604352



Detection Angle: 120°
Detection Distance: 2-8m
Voltage/Frequency: AC:220-240V,50/60Hz
Luminous Flux: 2400lm

CRI: >70
PF: >0.9
IP Rating: IP44
Beam Angle: 100°



Body Type: Die Cast Aluminium
Dimension: 217x231x51mm
Box Qty: 10 Pcs






PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White

3800157608268



Video Compression:	H.264 / MJPEG dual video stream
Image Resolution:	1280*720
Image sensor:	1/4 " 1Megapixel CMOS
Pixels:	1 million pixels
Delay Time:	0-30S
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>70

PF:	>0.5
Beam Angle:	180°
Color of Fixture:	White
Body Type:	ABS+Aluminium
IP Rating:	IP20
Dimension:	248x 162x 181mm
Box Qty:	4 Pcs




PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White

3800157620925



Video Compression:	H.264 / MJPEG dual video stream
Image Resolution:	1280*720
Image sensor:	1/4 " 1Megapixel CMOS
Pixels:	1 million pixels
Delay Time:	0-30S
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	600lm
CRI:	>70

PF:	>0.5
Beam Angle:	180°
Color of Fixture:	Black
Body Type:	ABS+Aluminium
IP Rating:	IP20
Dimension:	248x162x181mm
Box Qty:	4 Pcs

NEW




Bluetooth Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW

3800157640411

CCT AND DIMMING
VIA SMART PHONE APP

Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	White	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x126.3mm
PF:	>0.9	Box Qty:	20 Pcs

NEW




Bluetooth Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW

3800157640428

CCT AND DIMMING
VIA SMART PHONE APP

Voltage/Frequency:	AC:220-240V	IP Rating:	IP65
Luminous Flux:	1400lm	Beam Angle:	100°
Color of Fixture:	Black	Body Type:	Aluminium
CRI:	>80	Dimension:	141.6x126.3mm
PF:	>0.9	Box Qty:	20 Pcs

NEW




Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5-2.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs

VT-881

SKU: 5987



NEW




Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm ²
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000 Pcs

VT-868-w

SKU: 5986




Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000

VT-868

SKU: 5977

3800157636070



Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-B

SKU: 5978

3800157636087



Waterproof Box Terminal Block

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-W

SKU: 5979

3800157636094



Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5~4mm ²
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm ²
Box Qty:	160 Pcs



Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm ²
Box Qty:	240 Pcs



Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



Tripod Stand-Yellow

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940~1800mm

Box Qty: 8 Pcs



Tripod Stand-Black

VT-41150B

SKU: 9546 3800157604925

Size: 900x940~1800mm

Box Qty: 8 Pcs



Billboard Stand

VT-793

SKU: 3622 3800157607803

Size: 870x200mm

Box Qty: 4 Pcs

87cm

Suitable For:

70w - 100w - 120w - 150w - 200w



Billboard Stand

VT-794

SKU: 3623 3800157607810

Size: 850x150mm

Box Qty: 4 Pcs

85cm

Suitable For:

10w - 20w - 30w - 50w



Floodlight Spike-Grey

VT-854-G

SKU: 7533 3800157630467



Size: Ø35xH150mm

Box Qty: 200 Pcs

Body Type: Aluminium



Floodlight Spike-White

VT-854-W

SKU: 7534 3800157630474



Size: Ø35xH150mm

Box Qty: 200 Pcs

Body Type: Aluminium



Floodlight Spike-Black

VT-854-B

SKU: 7535 3800157630481



Size: Ø35xH150mm

Box Qty: 200 Pcs

Body Type: Aluminium



Floodlight Spike-Grey

VT-855-G

SKU: 7536 3800157630498



Size: Ø60xH265mm

Box Qty: 100 Pcs

Body Type: Aluminium



Floodlight Spike-White

VT-855-W

SKU: 7537 3800157630504



Size: Ø60xH265mm

Box Qty: 100 Pcs

Body Type: Aluminium



Floodlight Spike-Black

VT-855-B

SKU: 7538 3800157630511



Size: Ø60xH265mm

Box Qty: 100 Pcs

Body Type: Aluminium

