

LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.


APPLICATION

Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices



KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





LED TUBES

G13-T8 -Nano Plastic Tube


This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**


5 YEAR
WARRANTY*

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

SKU: 686 | 4000K DAY WHITE
SKU: 687 | 6400K WHITE





ROTATABLE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

SKU: 688 | 3000K WARM WHITE
SKU: 672 | 4000K DAY WHITE
SKU: 673 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs

SKU: 674 | 4000K DAY WHITE
SKU: 675 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE
SKU: 651 | 4000K DAY WHITE
SKU: 652 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE
SKU: 654 | 4000K DAY WHITE
SKU: 655 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE
SKU: 657 | 4000K DAY WHITE
SKU: 658 | 6400K WHITE



LED BATTEN FITTINGS

Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- SMD LED Type
 - 30,000 hrs Lifespan
 - 160° Beam Angle
- AC:220-240V,50Hz
 - CRI: >80
 - Nano Plastic Body

5

YEAR

WARRANTY*



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE
SKU: 6443 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE
SKU: 6439 | 6400K WHITE





MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE
SKU: 6445 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE
SKU: 6441 | 6400K WHITE





FIXTURES WITH LED LED Prismatic Fittings



Quick Connector


The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**


5 YEAR
WARRANTY*

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE
SKU: 660 | 4000K DAY WHITE
SKU: 661 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs



SKU: 662 | 3000K WARM WHITE
SKU: 663 | 4000K DAY WHITE
SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs



SKU: 665 | 3000K WARM WHITE
SKU: 666 | 4000K DAY WHITE
SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs



SKU: 668 | 4000K DAY WHITE
SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs



SKU: 670 | 4000K DAY WHITE
SKU: 671 | 6400K WHITE





FIXTURES WITH LED

LED Batten Fitting



V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**

- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**
- **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**

5 YEAR
WARRANTY*

TP(a)
Polycarbonate




Compatible Emergency Pack



Sensor Compatible

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs


SKU: 755 | 4000K DAY WHITE






MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





LINKABLE
UP TO 100 WATTS TOGETHER

FIXTURES WITH LED

T5 Batten Fitting

5 YEAR
WARRANTY*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- 30,000 Life Hours
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V
- CRI - >80
- LED Provided by Samsung


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE
SKU: 690 | 4000K DAY WHITE
SKU: 691 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE
SKU: 693 | 4000K DAY WHITE
SKU: 694 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE
SKU: 696 | 4000K DAY WHITE
SKU: 697 | 6400K WHITE





EASY ACCESS FOR
COLOR CHANGING
WITH BUTTON



CCT Changeable



FLICKER FREE

FIXTURES WITH LED

LED Batten Fitting


5 YEAR
WARRANTY*

The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-53	50w	5000	2.06	10 pcs

SKU: 518 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1





FIXTURES WITH LED

LED Batten Fitting



V-TAC’s all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
 - **30,000 Life Hours**
 - **CRI - >80**
- **PF - 0.9**
 - **On/Off Cycle - >15000 time**
 - **Input Voltage - AC:220-240V**
 - **Programmable DIP Switch Driver(Applicable for 60W only)**
- 5

YEAR

WARRANTY*


TP(a)

Polycarbonate

Sensor Compatible


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





FIXTURES WITH LED

LED Waterproof Fittings

With its IP65 rating and tough aluminum exterior, the new LED Tri-Proof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these high-lumen tri-proof fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.

- SMD LED Type
 - 20,000 - 30,000 hrs Lifespan
 - 110° Beam Angle
 - IP65 Rating
- AC:220-240V,50Hz
 - CRI: >80
 - PF: >0.9

5


YEAR


WARRANTY*

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE


SKU: 681 | 6400K WHITE






MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs

SKU: 678 | 4000K DAY WHITE
SKU: 679 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs

SKU: 676 | 4000K DAY WHITE
SKU: 677 | 6400K WHITE





LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm


Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-High Lumen-60cm

9w VT-6085

SKU: 6299 - 3000K Warm White 3800157617345

5 YEAR
WARRANTYDummy Starter
Included120 ±
LUMENS/WATT
SUPER EFFICIENT

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212
SKU: 6231 - 6400K White 38001576052363 YEAR
WARRANTYDummy Starter
Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



T8-Nano Plastic-60cm

10w VT-6072-NR

SKU: 6392 - 3000K Warm White 3800157625296
SKU: 6393 - 4000K Day White 3800157625302
SKU: 6394 - 6400K White 38001576253193 YEAR
WARRANTYDummy Starter
Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs



T8-Nano Plastic-90cm

14w VT-9077

SKU: 6272 - 4000K Day White 3800157615419
SKU: 6262 - 6400K White 38001576121283 YEAR
WARRANTYDummy Starter
Included

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs





T8-Nano Plastic-120cm

18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135
 SKU: 6273 - 4000K Day White 3800157615426
 SKU: 6264 - 6400K White 3800157612142

3
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs





T8-Nano Plastic-150cm

22w VT-1577

SKU: 6265 - 3000K Warm White 3800157612159
 SKU: 6309 - 4000K Day White 3800157617437
 SKU: 6310 - 6400K White 3800157617444

3
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs




T8-Nano Plastic-High Lumen-150cm

22w VT-1585

SKU: 6306 - 3000K Warm White 3800157617406

5
 YEAR
 WARRANTY

 Dummy Starter
 Included


EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

 120+
 LUMENS/WATT
 SUPER EFFICIENT


On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs



T8-Nano Plastic-60cm


18w VT-6077

SKU: 6313 - 4000K Day White 3800157618656
 SKU: 6314 - 6400K White 3800157618663

EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs


 120+
 LUMENS/WATT
 SUPER EFFICIENT


T5-Glass Plastic-60cm



8w VT-6005

SKU: 6318 - 4000K Day White 3800157619271
SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs



T5-Glass Plastic-120cm



16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295
SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs



T8-Aluminium Plastic-180cm



40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841
SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs



T8 Bread Tube-120cm


18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Meat Tube-120cm



18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Vegetable Tube-120cm


18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Seafood Tube-120cm



18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



T8 Plant Tube-120cm



18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

Tube-Batten Fitting

VT-15021





SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs

T5-With Fitting-30cm

4W VT-3033

SKU: 6167 - 4500K Day White 3800230629166

Upto **5Pcs**
Interlinkable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	360lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°



Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	140g
Dimension:	300x22x33mm
Box Qty:	50 Pcs



T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White 3800230629180

Upto **5Pcs**
Interlinkable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	630lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°



Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	210g
Dimension:	600x22x33mm
Box Qty:	50 Pcs



T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White 3800230629210

Upto **5Pcs**
Interlinkable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1260lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°


Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	300g
Dimension:	1200x22x33mm
Box Qty:	50 Pcs



Prismatic Fitting-30cm

10W VT-8013

SKU: 4987 - 3000K Warm White 3800157601955

Upto **5Pcs**
Interlinkable

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°


Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs



Cabinet Fitting

10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714
 SKU: 5069 - 4500K Day White 3800157606721
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs

Wall Fitting-60cm

10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745
 SKU: 5072 - 4500K Day White 3800157606752
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

Wall Fitting-120cm

20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776
 SKU: 5075 - 4500K Day White 3800157606783
 SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs

Batten Fitting-Linkable


40w VT-80404

SKU: 6389 - 3000K Warm White 3800157625104



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	AL+PC
On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	780g
Dimension:	1200x75x26mm
Box Qty:	10 Pcs





LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.


1 LED TUBE INCLUDED
Waterproof Fitting-Tubes
10w VT-6028


SKU: 6463 - 4000K Day White 3800157639767
SKU: 6464 - 6400K White 3800157639750



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.70 kg
Dimension:	666x68x58mm
Box Qty:	16pcs


2 LED TUBES INCLUDED
Waterproof Fitting-Tubes
2x10w VT-6029


SKU: 6465 - 4000K Day White 3800157639781
SKU: 6466 - 6400K White 3800157639774



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	666x96x58mm
Box Qty:	12pcs


1 LED TUBE INCLUDED
Waterproof Fitting-Tubes
18w VT-12028


SKU: 6459 - 4000K Day White 3800157639729
SKU: 6460 - 6400K White 3800157639712



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	1276x68x58mm
Box Qty:	16pcs


1 LED TUBE INCLUDED
Waterproof Fitting-Tubes
22w VT-15028


SKU: 6461 - 4000K Day White 3800157639743
SKU: 6462 - 6400K White 3800157639736



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1.2 kg
Dimension:	1576x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes

36w VT-12023

SKU: 6387 - 4000K Day White 3800157625036
SKU: 6399 - 6400K White 3800157626385



2 LED TUBES INCLUDED

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.33 kg

Dimension: 1260x112x63mm

Box Qty: 10 Pcs



Waterproof Fitting-Tubes

44w VT-15022

SKU: 6388 - 4000K Day White 3800157625043
SKU: 6400 - 6400K White 3800157626392



2 LED TUBES INCLUDED

Voltage/Frequency: AC:200-240V,50/60Hz

Luminous Flux: 4000lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 30,000 Hours

Gross weight: 1.65 kg

Dimension: 1560x112x63mm

Box Qty: 10 Pcs



Waterproof Fitting-G Series

18w VT-6076

SKU: 6283 - 4000K Day White 3800157616478



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1440lm

LED Type: SMD

CRI: >70

PF: >0.5

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 600x65x58mm

Box Qty: 12 Pcs



Waterproof Fitting-G Series

36w VT-1249

SKU: 6285 - 4000K Day White 3800157616492
SKU: 6284 - 6400K White 3800157616485



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.60 kg

Dimension: 1200x65x58mm

Box Qty: 12 Pcs



Waterproof Fitting-G Series

48w VT-1574

SKU: 6287 - 4000K Day White 3800157616515
SKU: 6286 - 6400K White 3800157616508



Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3840lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.1 kg

Dimension: 1500x65x58mm

Box Qty: 12 Pcs



NEW

Waterproof Fitting-S Series

36w VT-1239

SKU: 6469 - 4000K Day White 3800157640992
SKU: 6470 - 6400K White 3800157641005

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3000lm

LED Type: SMD2835

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.448

Dimension: 1200x60x35mm

Box Qty: 20 Pcs

**NEW**

Waterproof Fitting-S Series

48w VT-1549

SKU: 6467 - 4000K Day White 3800157640978
SKU: 6468 - 6400K White 3800157640985

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 4000lm

LED Type: SMD2835

CRI: >80

PF: >0.9

Beam Angle: 120°

Body Type: Plastic


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 0.558

Dimension: 1500x60x35mm

Box Qty: 20 Pcs



Waterproof-Emergency Kit

36w VT-1250

SKU: 6448 - 4000K Day White 3800157632126
SKU: 6449 - 6400K White 3800157632133

**Waterproof
Emergency Kit**

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: <1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 2880lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: Plastic+ABS


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 1.9 kg

Dimension: 1200x76x66mm

Box Qty: 12 Pcs



Waterproof-Emergency Kit

48w VT-1550

SKU: 6446 - 4000K Day White 3800157632102
SKU: 6447 - 6400K White 3800157632119

**Waterproof
Emergency Kit**

Charging Time: 24 Hours

Emergency Operation Time: 3 Hours

Emergency Switch on time: <1 Second

Voltage/Frequency: AC:220-240V,50/60Hz

Luminous Flux: 3920lm

LED Type: SMD

CRI: >70

PF: >0.9

Beam Angle: 120°

Body Type: ABS+PC


On/Off: >10,000

Life span: 20,000 Hours

Gross weight: 2.35 kg

Dimension: 1500x76x66mm

Box Qty: 12 Pcs






Waterproof Fitting 18w VT-6048

SKU: 6198 - 4500K Day White 3800157603256
SKU: 6199 - 6000K White 3800157603263

Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.80 kg
Dimension:	600x76x66mm
Box Qty:	12 Pcs




Waterproof Fitting 36w VT-1248

SKU: 6200 - 4500K Day White 3800157603270
SKU: 6201 - 6000K White 3800157603287

Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.42 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting 48w VT-1548

SKU: 6184 - 4500K Day White 3800157602389
SKU: 6185 - 6000K White 3800157602396

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70

PF:	>0.7
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.86 kg
Dimension:	1480x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting 70w VT-1573

SKU: 6266 - 4000K Day White 3800157612586

Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	8400lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+Aluminium
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.75 kg
Dimension:	1500x86x70mm
Box Qty:	6 Pcs



120+
LUMENS/WATT
SUPER EFFICIENT

